



Yasuo Momose

CUSTOM SHOP

Celebrating Momose Yasuo's Matured Skill in His 40-Year Career

It was the year of 1964 when Momose Yasuo went into the music industry. He turned 20 when he left his work as a furniture craftsman to pursue a career as a luthier. He confessed the reason he had started manufacturing guitars as "being labeled as an artisan craftsman." He disliked the pretensions of the conservative furniture industry. On the other hand, the world of guitar manufacturing attracted the young Momose for its flashiness. It was an exciting time: the great popularity of the Beatles in Japan had just brought the craze over electric guitars.

Since then, he has engaged himself in manufacturing guitars for over 40 years and created a number of exquisite instruments at our Headway factory since 1977. Time has changed: he's known as an "artisan craftsman" leading the guitar manufacturing industry in Japan.


Headway Customshop continues to produce acoustic guitars with Momose Yasuo, benefitting greatly from all of his matured skill and expertise culminated from his career as a guitar luthier.













BODY TOP: EUROPEAN SPRUCE
BODY SIDE&BACK: INDIAN ROSEWOOD(1,3)/HONDURAS MAHOGANY(2)
NECK: HONDURAS MAHOGANY / FINGERBOARD&BRIDGE: EBONY
SADDLE&KNUT: BONE / SCALE: 628mm / WIDTH AT KNUT: 45mm
MACHINE HEADS: GOTOH SGV510 ENOID
BRACING: SCALLOPED FORWARD SHIFT X-BRACING
NECK FINISH: MATTE(LACQUER) / BODY FINISH: CLEAR GLOSS(LACQUER)

ASKA TEAM Build



"Headway Aska Team Build," the newest line at Headway by which we aim to update our acoustic guitars, are manufactured by several luthiers who has worked with Momose Yasuo for the last 10 years.

They inherited Momose's manufacturing methods, including post-coating neck adjustment and dovetail joints, all of which require precise craftwork. Needless to say, Aska Team Build Guitars are made with the great care of luthiers.

Headway Aska Team Built offers a valuable line-up built by professional luthiers with the hope that the guitars will last a lifetime of appreciation.



2011 HD-115 ATB

BODY TOP: SOLID SITKA SPRUCE
BODY SIDE&BACK: SOLID INDIAN ROSEWOOD
NECK: AFRICAN MAHOGANY IP
FINGERBOARD: EBONY
BRIDGE: EBONY
BRACING: SCALLOPED FORWARD SHIFT X-BRACING
SCALE: 644mm
WIDTH at KNUT: 44.5mm
MACHINE HEADS: GOTOHSE510W-06M
FINISH: THIN URETHANE
WITH HARD: CASE

2011 HD-113 ATB BODY TOP: SOLID SITKA SPRUCE BODY SIDE&BACK: SOLID AFRICAN MAHOGANY IP FINGERBOARD: EBONY BRIDGE: EBONY


BRACING : SCALLOPED FORWARD SHIFT X-BRACING SCALE : 644mm WIDTH at KNUT : 44.5mm

MACHINE HEADS : GOTOH/SE510W-06M FINISH : THIN URETHANE With HARD CASE

2011 HF-415 ATB BODY TOP: SOLID SITKA SPRUCE BODY SIDE&BACK: SOLID INDIAN ROSEWOOD NECK: AFRICAN MAHOGANY IP FINGERBOARD: EBONY BRIDGE: EBONY BRACING: SCALLOPE FORWARD SHIFT X-BRACING SCALE: 628mm WIDTH at KNUT: 44.5mm

With HARD CASE

2011 HF-413 ATB



WIDTH at KNUT: 44.5mm MACHINE HEADS: GOTOH/SE510W-06M FINISH: THIN URETHANE With HARD CASE



OM-STUDIO

With HARD CASE

MACHINE HEADS : GOTOH/SE510W-06M

FINISH: THIN URETHANE

BODY TOP: SOLID SITKA SPRUCE
BODY SIDE&BACK: SOLID HONDURAS MAHOGANY
NECK: AFRICAN MAHOGANY IP
FINGERBOARD: EBONY
BRIDGE: EBONY
BRACING: SCALLOPED
SCALE: 644mm
WIDTH at KNUT: 44.5mm
MACHINE HEADS: GOTOH/SG301-B01-Cr
PICK UPS: MiSi Acoustic Trio
FINISH: THIN URETHANE

OM-STUDIO2

With HARD CASE

BODY TOP: SOLID ENGLEMANN SPRUCE
BODY SIDE&BACK: SOLID INDIAN ROSEWOOD
NECK: AFRICAN MAHOGANY IP
FINGERBOARD: EBONY
BRIDGE: EBONY
BRACING: SCALLOPED
SCALE: 644mm
WIDTH at KNUT: 44.5mm
MACHINE HEADS: GOTOH/SG301-B01-CT
PICK UPS: Misi Acoustic Trio
FINISH: THIN URETHANE





HC-STUDIO

BODY TOP : SOLID SITKA SPRUCE
BODY SIDE&BACK : SOLID HONDURAS MAHOGANY
NECK : AFRICAN MAHOGANY IP
FINGERBOARD : EBONY
BRIDGE : EBONY

 $\label{eq:bracing:scalloped forward shift} BRACING: SCALLOPED FORWARD SHIFT \\ SCALE: 644mm$

WIDTH at KNUT: 44.5mm

MACHINE HEADS : GOTOH/SG301-B01-Cr

PICK UPS : MiSi Acoustic Trio FINISH : THIN URETHANE With HARD CASE





HC-STUDIO2 BODY TOP: SOLID ENGLEMANN SPRUCE BODY SIDE&BACK: SOLID INDIAN ROSEWOOD NECK: AFRICAN MAHOGANY IP FINGERBOARD: EBONY BRIDGE: EBONY BRACING: SCALLOPED FORWARD SHIFT SCALE: 644mm WIDTH at KNUT: 44.5mm

MACHINE HEADS : GOTOH/SG301-B01-CT
PICK UPS : MISI Acoustic Trio
FINISH : THIN URETHANE
With HARD CASE

HJ-LB

BODY TOP: SOLID SITKA SPRUCE
BODY SIDE&BACK: SOLID HONDURAS MAHOGANY
NECK: AFRICAN MAHOGANY IP
FINGERBOARD: MADAGASCAR ROSEWOOD
BRIDGE: MADAGASCAR ROSEWOOD
BRACING: SCALLOPED
SCALE: 628mm
WIDTH at KNUT: 43mm
MACHINE HEADS: GOTOH/SD91-05MA-Ni
FINISH: THIN URETHANE
WIB HARD CASE



HJ-BOOGIE

BODY TOP : SOLID SITKA SPRUCE
BODY SIDE&BACK : SOLID HONDURAS MAHOGANY IP
FINGERBOAD : EBONY
BRIDGE : EBONY
BRACING : SCALLOPED
SCALE : 628mm
WIDTH at KNUT : 43mm
MACHINE HEADS : GOTOH/SG301-04
FINISH : THIN URETHANE



НЈ-НОВО

BODY TOP: SOLID SITKA SPRUCE
BODY SIDE&BACK: SOLID HONDURAS MAHOGANY
NECK: AFRICAN MAHOGANY IP
FINGERBOARD: MADAGASCAR ROSEWOOD
BRIDGE: MADAGASCAR ROSEWOOD
BRACING: SCALLOPED
SCALE: 628mm
WIDTH at KNUT: 43mm
MACHINE HEADS: GOTOH/SD91-05MA-Ni
FINISH: THIN URETHANE
With HARD CASE



UKULELE

Headway Ukukulele are manufactured in limited numbers per lot with selected tone wood like Hawaian Koa, Hondulas mahogany Sycamore. You can recognize our policy to accentuate the virtue of each tone wood is this series, too. We chose Pegheds' straight machineheads with 4:1 gear and Aquila's nylon strings in order to offer the most ideal tension of strings.

Headway Ukulele is the high-end line with the luthiers' keen eye for creating great natural tone.





BODY: SOLID HONDURAS MAHOGANY

or SYCAMORE or HAWAIIAN KOA

NECK: HONDURAS MAHOGANY
FINGERBOARD & BRIDGE:

MADAGASCAR ROSEWOOD(MAHO)
or BRAZZILIAN ROSEWOOD(SYC,KOA)
SCALE: 384mm(Con.),432mm(Ten.)
MACHINE HEADS: PEGHEDS
STRINGS: AQUILA
WIDTH AT KNUT: 355mm
FINISH: LACQUER/HARF MATTE
With HARD CASE



UG

The ideal unity of guitar and ukulele.

UG's standard tuning is A D G C E A from the lowest string. It is the same as a guitar when you tune every string dropped in 2 and a half tone, or when you set a capotast on 5th fret of the neck. Thus you can play it with the same method and feeling as a guitar. In addition, it may also be regarded as an extended version of low-G Ukulele. It offers large possibility in playing methods.





HUG-1
BODY TOP: SOLID SITKA SPRUCE
BODY SIDE&BACK: SOLID INDIAN ROSEWOOD
NECK: HONDURAS MAHOGANY IP
FINGERBOARD: EBONY
BRIDGE: EBONY
SCALE: 17inch
MACHINE HEADS: GOTOH/UK-12B5
WIDTH AT KNUT: 45mm
JOINT: 14F
With STR PROTECT CASE

HUG-2

BODY TOP: SOLID SITKA SPRUCE
BODY SIDE&BACK: SOLID AFRICAN MAHOGANY I
NECK: HONDURAS MAHOGANY I
FINGERBOARD: INDIAN ROSEWOOD
BRIDGE: INDIAN ROSEWOOD
SCALE: 17inch
MACHINE HEADS: GOTOH/UK-12BS
WIDTH AT KNUT: 45mm
JOINT: 14F
With STR PROTECT CASE



HCD-20



HCF-20

BODY TOP: SOLID SPRUCE
BODY SIDE&BACK: MAHOGANY
NECK: MAHOGANY
FINGERBOARD: ROSEWOOD
BRIDGE: ROSEWOOD
SCALE: 650mm
MACHINE HEADS: ROTOMATIC
CONTROL: Vol,Treble,Mid,Bass
COLOR: NAS,SBS,TRSS,TNSS,TBSS,etc
With SOFT CASE



HCD-45S

With SOFT CASE

BODY TOP: SOLID SPRUCE
BODY SIDE&BACK: MAHOGANY
NECK: MAHOGANY
FINGERBOARD: ROSEWOOD
BRIDGE: ROSEWOOD
SCALE: 650mm
MACHINE HEADS: ROTOMATIC
WIDTH AT KNUT: 43mm
COLOR: AN,SB
With SOFT CASE



HCF-20 NAS

HCF-45S

BODY TOP: SOLID SPRUCE
BODY SIDE&BACK: MAHOGANY
NECK: MAHOGANY
FINGERBOARD: ROSEWOOD
BRIDGE: ROSEWOOD
SCALE: 650mm
MACHINE HEADS: ROTOMATIC
WIDTH AT KNUT: 43mm
COLOR: AN,SB
With SOFT CASE



HCD-50S

BODY TOP: SOLID SPRUCE
BODY SIDE&BACK: ROSEWOOD

NECK: MAHOGANY
FINGERBOARD: ROSEWOOD

BRIDGE: ROSEWOOD

SCALE: 650mm

MACHINE HEADS: ROTOMATIC

WIDTH AT KNUT: 43mm

COLOR: AN,SB

With SOFT CASE



HCF-50S BODY TOP: SOLID SPRUCE

BODY SIDE&BACK: ROSEWOOD
NECK: MAHOGANY
FINGERBOARD: ROSEWOOD
BRIDGE: ROSEWOOD
SCALE: 650mm
MACHINE HEADS: ROTOMATIC
WIDTH AT KNUT: 43mm
COLOR: AN,SB
With SOFT CASE



HCL-45S

BODY TOP: SOLID SPRUCE
BODY SIDE&BACK: MAHOGANY
NECK: MAHOGANY
FINGERBOARD: ROSEWOOD
BRIDGE: ROSEWOOD
SCALE: 628mm
MACHINE HEADS: ROTOMATIC
WIDTH AT KNUT: 43mm
COLOR: AN,SB
With SOFT CASE



HCG-45S

BODY TOP: SOLID SPRUCE
BODY SIDE&BACK: MAHOGANY
NECK: MAHOGANY
FINGERBOARD: ROSEWOOD
BRIDGE: ROSEWOOD
SCALE: 628mm
MACHINE HEADS: FOR SLOTTED HEAD
WIDTH AT KNUT: 43mm
COLOR: AN,SB
With SOFT CASE



HCG-RB

BODY TOP: MAHOGANY
BODY SIDE&BACK: MAHOGANY
NECK: MAHOGANY
FINGERBOARD: ROSEWOOD
BRIDGE: ROSEWOOD
SCALE: 628mm
MACHINE HEADS: For SLOTTED HEAD
WIDTH AT KNUT: 43mm
COLOR: NA
With SOFT CASE

HCG-45R

HCJ-50S


With SOFT CASE

BODY TOP: ROSEWOOD
BODY SIDE&BACK: ROSEWOOD
NECK: MAHOGANY
FINGERBOARD: ROSEWOOD
BRIDGE: ROSEWOOD
SCALE: 628mm
MACHINE HEADS: For SLOTTED HEAD
WIDTH AT KNUT: 43mm
COLOR: NA
With SOFT CASE



HEC-700S

BODY TOP: SOLID SPRUCE
BODY SIDE&BACK: MAHOGANY
NECK: MAHOGANY
FINGERBOARD: ROSEWOOD
BRIDGE: ROSEWOOD
SCALE: 650mm
MACHINE HEADS: ROTOMATIO
CONTROL: Vol.Treble,Mid,Bass
COLOR: NA,AN
With SOFT CASE



HCG-45R NA





2011-October



Deviser.co.,Ltd.

7072-6 Sasaga, Matsumoto Nagano, Japan Mail: info@deviser.co.jp Web Site: www.deviser.co.jp